

Full poster



Preoperative POD risk assessment

PIPRA algorithm

2 cohort studies: 4 hospitals, 2 countries

829 patients

External validation

Switzerland / Germany

No intracranial and cardiac surgeries

> 60 yo

Interim analysis

Plan to recruit 1300 patients

Improved 2 steps model to be developed



Try our **free** e-learning:



Connect with Nayeli  
nayeli@pipra.ch



# PIPRA's POD risk prediction model can accurately discriminate patients at risk of POD before surgery



Nayeli Schmutz<sup>1,2</sup>, Kelly Reeve<sup>1,3</sup>, Mary-Anne Kedda<sup>1</sup>, John Gaudet<sup>4</sup>, Bernhard Walder<sup>5</sup>, Beate Sick<sup>3</sup>, Martin Frey<sup>3</sup>, Luzius Steiner<sup>2</sup>, Benjamin T. Dodsworth<sup>1</sup>

<sup>1</sup>PIPRA AG, Zurich, Switzerland <sup>2</sup>University Hospital Basel, Basel, Switzerland <sup>3</sup>Zurich University of Applied Sciences, Winterthur, Switzerland <sup>4</sup>Lausanne University Hospital, Lausanne, Switzerland <sup>5</sup>Geneva University Hospital, Geneva, Switzerland